



ENOPERLITE 1/extra	6571	<i>FILTRAZIONE</i>
Perlitic filter aid for coarse filtrations and vacuum filters		

Data Sheet	<i>Revision 21.10</i> <i>Date 7/01/2021</i>
-------------------	--

TECHNICAL SPECIFICATION			
	TECHNIQUES or ANALYTICAL METHOD (*)	LIMIT VALUES (legal or internal)	MEDIUM VALUES (by Quality Control)
Physical state	DC 1.01	powder	powder
Colour	DC 1.02	white	white
Smell	DC 1.03	neutral	neutral
Permeability (Darcies)	DC 3.14	2.2 - 3.3	2.8 - 3.3
Permeability (Dal Cin)	DC 3.01	117 - 143	120 - 140
Bulk density	DC 3.08	176 - 216 g/l	compliant
Floater (test)	DC 3.02	Max 32 ml /20 g	20 - 30
Inert material (Imhoff test 2')	DC 3.13	Max 1.0 ml	compliant
pH (10%)	DC 1.05	7.5 - 10	8 - 9
150 mesh residual	DC 1.09	20 - 25 %	compliant
Organic substances	technical information	none	compliant
Wettability	technical information	excellent	compliant
Silicon (oxide)		71 - 74 %	compliant
Aluminium (oxide)		13.0 - 14.5 %	compliant
Calcium (oxide)	A.A.Spectrophotometry	0.2 - 0.4 %	compliant
Lead (soluble)	A.A.Spectrophotometry	Max 5 ppm	compliant
Arsenic (soluble)	A.A.Spectrophotometry	Max 5 ppm	compliant

(*) Methods available on request

CLASSIFICATIONS AND DECLARATIONS	
Compliance with regulations	EU Reg. 2019/934 - Codex OIV (oenology) - Product allowed for the production of organic wine (ann. VIIIbis EC Reg. 889/2008) Product suitable for contact with food
Limitations of use	=
Minimum term of conservation	=
Safety Classification (CLP)	Not classified
ADR classification	Not classified
	It does not contain GMOs; it does not come from GMOs
Allergens	Does not contain products of the. II of the EU Reg. 1169/2011
Products of animal origin	none
Kosher certification	Not available
Other statements	This product does not contain nanoparticles and has not been subjected to ionizing radiation. Quality Management System Dal Cin Gildo Spa certified according to ISO9001: 2015 (No. 1713 Certiquality)

PACKAGING AND STORAGE
Bags of 14 kg (code 6571)
Big bag of 470 kg (code 6575)
Keep the product in its whole package in a cool place, away from moisture.